

T Line

Interactive Flat Panel

AOC Commercial Display

75T6053


Flawlessly Built for Interaction Meet AOC's T Line – an interactive touch display that best suits your commercial and educational needs. AOC's T Line features a Multi-touch display which allows a high degree of flexibility and guarantees a smoother interactive experience. With built-in annotation tools and advanced E-share feature displayed in 4K UHD resolution (3840 x 2160 pixel), T-Line is your perfect partner for business presentations and everyday usage.

Features



Multi-touch

Touch displays are of ever-growing importance. 10-point touch screen capabilities – which effectively allows for full two-hand input – ensure a high degree of flexibility for a more interactive user experience.




Annotation tools (drawing)

The screen's built-in annotation tools allow for maximum customization, making the screen not only perfect for retail use, but also for business presentation.

WPS (file editor)

With WPS file editing capabilities (Microsoft Works Word Processor), you can edit or customize multimedia without hassle.



Crisp resolution like you've never seen before

Appreciate signage quality like never before thanks to 4K UHD quality (3840 x 2160 pixel) resolution. Image quality and color transitions are so refined, so lifelike, it's like a window to a new world.




High brightness

Featuring with up to 450 nits, AOC T Line displays produce clearly readable images which may easily be seen in storefront windows and other brightly lit indoor environments.

E-share (wireless presentation)

EShare is a multiscreen interaction application that allows you to project the screen of another device onto the interactive flat panel, or vice versa (e.g. control what's on the screen from the comfort of your smartphone).



Convenience and connectivity in One

The monitor is equipped with the most common and convenient connectivity ports such as HDMI and USB 3.0.

Input

HDMI 2.0 × 2	SPDIF
VGA × 1	USB 3.0 × 2
AV-In	USB 2.0 × 2
YPbPr	RS232 (DB9)

Output

HDMI Out × 1
AV Out (3.5mm jack) × 1
Earphone 3.5mm jack



Technical Specifications

		75T6053
Display	Diagonal Sreen Size (inch)	75"
	Resolution	3840 x 2160
	Brightness cd/m² (typ.)	450
	Contrast Ratio (typ.)	1200 : 1
	Viewing Angle Horizontal (min.)	178 °
	Viewing Angle Vertical (min.)	178 °
System	DDR	2GB
	Memory(eMMC)	16GB
	OS	Android
Connectivity I/O	Input	HDMI 2.0 x 2, VGA x 1, YPbPr, AV-In (3.5mm jack), SPDIF, USB3.0 x 2, USB2.0 x 2; RS232 (DB9)
	Output	HDMI Out x 1, AV-Out (3.5mm jack) x 1, Earphone 3.5mm jack
Feature	Touch	IR
	OPS/SDM Slot	Yes(HDMI interface)
	USB Multi Media Function	Yes
	Panel Orientation	Landscape
	Built-in Speaker	15W x 2
Weight	Product Weight w/o stand	64.05Kg±1.5Kg
Power	Power Supply	AC 100-240V 50 / 60Hz
	Current Rating	5A
	Power Consumption	400W
	Standby mode	<0.5W
Temperature	Operational Temperature	0 C - 40 C
	Operation Humidity	20%- 80% RH Non-Condensing

